

## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SCORE 250 EC

Design code : A7402T

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Fungicide

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG  
Postfach  
CH-4002 Basel  
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone  
number : +44 1484 538444

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-ways.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : **Danger**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0      Revision Date: 03.01.2017      SDS Number: S186944490      This version replaces all previous versions.

Hazard statements	:	H304    May be fatal if swallowed and enters airways. H319    Causes serious eye irritation. H410    Very toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066    Repeated exposure may cause skin dryness or cracking. EUH401    To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary statements	:	<b>Prevention:</b> P280    Wear eye protection/ face protection. <b>Response:</b> P301 + P310    IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331    Do NOT induce vomiting. P337 + P313    If eye irritation persists: Get medical advice/attention. P391    Collect spillage.

Hazardous components which must be listed on the label:

solvent naphtha (petroleum), heavy arom.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
solvent naphtha (petroleum), heavy arom.	64742-94-5 265-198-5 01-2119451151-53	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 50 - < 70
difenoconazole	119446-68-3	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 20 - < 25
calcium bis(dodecylbenzenesulphonate), branched	70528-83-5 234-360-7 01-2119964467-24	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 3 - < 5
poly(oxy-1,2-ethanediyl), alpha-9-	9004-98-2	Acute Tox. 4; H302	>= 3 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0      Revision Date: 03.01.2017      SDS Number: S186944490      This version replaces all previous versions.

octadecenyl-omega-hydroxy-, (Z)- 2-methylpropan-1-ol	500-016-2 78-83-1 201-148-0 01-2119484609-23	Eye Dam. 1; H318 Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 STOT SE 3; H335	>= 1 - < 3
naphthalene	91-20-3 202-049-5	Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0      Revision Date: 03.01.2017      SDS Number: S186944490      This version replaces all previous versions.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Other data : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

#### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
difenoconazole	119446-68-3	TWA	8 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TLV-C	50 ppm 150 mg/m <sup>3</sup>	
solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
difenoconazole	119446-68-3	TWA	5 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 150 mg/m <sup>3</sup>	CH SUVA

Further information	<a href="#">National Institute for Occupational Safety and Health, Institut National de Recherche et de Sécurité pour la prévention des accidents du travail et des maladies professionnelles, Harm to the unborn child is not to be expected when the OEL-value is respected</a>			
	78-83-1	STEL	50 ppm 150 mg/m <sup>3</sup>	CH SUVA

Further information	<a href="#">National Institute for Occupational Safety and Health, Institut National de Re-</a>			
---------------------	---	--	--	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0      Revision Date: 03.01.2017      SDS Number: S186944490      This version replaces all previous versions.

	cherche et de Sécurité pour la prévention des accidents du travail et des maladies professionnelles, Harm to the unborn child is not to be expected when the OEL-value is respected			
naphthalene	91-20-3	TWA	10 ppm 50 mg/m <sup>3</sup>	91/322/EEC

Further information	Indicative			
	91-20-3	TWA	10 ppm 50 mg/m <sup>3</sup>	CH SUVA

Further information	Toxic by skin resorption possible; Substances, which are easily absorbed through the skin, can give by additional skin resorption a substantial higher risk compared to only inhalation by the airways., Carcinogenic Category 3, National Institute for Occupational Safety and Health, Occupational Safety and Health Administration			
---------------------	--	--	--	--

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Use eye protection according to EN 166.

Hand protection  
Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.  
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
11.0	03.01.2017	S186944490	

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.  
  
Use only respiratory protection equipment with CE-symbol including four digit test number.
- Filter type : Combined particulates and organic vapour type (A-P)
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : yellow to brown
- Odour : aromatic
- pH : 5 - 9  
Concentration: 1 % w/v
- Flash point : 71 °C  
Method: Seta closed cup
- Density : 1.071 g/cm<sup>3</sup> (20 °C)
- Auto-ignition temperature : 460 °C
- Viscosity  
Viscosity, dynamic : 26.0 mPa.s (20 °C)  
10.5 mPa.s (40 °C)
- Explosive properties : Not explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Surface tension : 36.0 mN/m, 25 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See section 10.3 "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

##### Components:

##### **difenoconazole:**

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3  
Exposure time: 4 h



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **calcium bis(dodecylbenzenesulphonate), branched:**

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is moderately toxic after single contact with skin.

### **poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

### **2-methylpropan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 18.18 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 - 2,460 mg/kg

### **naphthalene:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

### **Skin corrosion/irritation**

#### **Product:**

Species: Rabbit  
Result: No skin irritation

Result: [Repeated exposure may cause skin dryness or cracking.](#)

#### **Components:**

##### **difenoconazole:**

Species: Rabbit  
Result: No skin irritation

##### **calcium bis(dodecylbenzenesulphonate), branched:**

Result: Irritating to skin.

##### **poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:**

Species: Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0	Revision Date: 03.01.2017	SDS Number: S186944490	This version replaces all previous versions.
-----------------	------------------------------	---------------------------	--

Result: No skin irritation

### **2-methylpropan-1-ol:**

Result: Irritating to skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Species: Rabbit

Result: Moderate eye irritation

#### **Components:**

##### **difenoconazole:**

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

##### **calcium bis(dodecylbenzenesulphonate), branched:**

Result: Risk of serious damage to eyes.

##### **poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:**

Species: Rabbit

Result: Irreversible effects on the eye

##### **2-methylpropan-1-ol:**

Result: Risk of serious damage to eyes.

### **Respiratory or skin sensitisation**

#### **Product:**

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

#### **Components:**

##### **difenoconazole:**

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

##### **2-methylpropan-1-ol:**

Result: Did not cause sensitisation on laboratory animals.

### **Germ cell mutagenicity**

#### **Components:**

##### **difenoconazole:**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version 11.0	Revision Date: 03.01.2017	SDS Number: S186944490	This version replaces all previous versions.
-----------------	------------------------------	---------------------------	--

### 2-methylpropan-1-ol:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

#### difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females., The observed tumors do not appear to be relevant for men.

### 2-methylpropan-1-ol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### naphthalene:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Reproductive toxicity

#### Components:

#### difenoconazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

### 2-methylpropan-1-ol:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
Animal testing did not show any effects on foetal development.

### STOT - single exposure

#### Components:

#### 2-methylpropan-1-ol:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### Repeated dose toxicity

#### Components:

#### difenoconazole:

Remarks: No adverse effect has been observed in chronic toxicity tests.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

### Aspiration toxicity

#### Components:

**solvent naphtha (petroleum), heavy arom.:**

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 3.7 mg/l<br>Exposure time: 96 h    |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 4.3 mg/l<br>Exposure time: 48 h             |
| Toxicity to algae                                   | : | ErC50 (Desmodesmus subspicatus (green algae)): 4.4 mg/l<br>Exposure time: 72 h |

#### **Ecotoxicology Assessment**

- |                          |   |  |
|--------------------------|---|--|
| Acute aquatic toxicity   | : | Very toxic to aquatic life., Classification of the product is based on the summation of the concentrations of classified components.                           |
| Chronic aquatic toxicity | : | Very toxic to aquatic life with long lasting effects., Classification of the product is based on the summation of the concentrations of classified components. |

#### Components:

**solvent naphtha (petroleum), heavy arom.:**

#### **Ecotoxicology Assessment**

- |                          |   |  |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Toxic to aquatic life with long lasting effects. |
|--------------------------|---|--|

#### **difenoconazole:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.77 mg/l<br>Exposure time: 48 h<br><br>EC50 (Americamysis bahia (Mysid shrimp)): 0.15 mg/l<br>Exposure time: 96 h |
| Toxicity to algae                                   | : | EC50 (Navicula pelliculosa (Freshwater diatom)): 0.091 mg/l<br>Exposure time: 72 h<br><br>NOEC (Navicula pelliculosa (Freshwater diatom)): 0.053 mg/l |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.0086 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.0076 mg/l  
Exposure time: 34 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0056 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0.0046 mg/l  
Exposure time: 28 d  
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10

### calcium bis(dodecylbenzenesulphonate), branched:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1 - 10 mg/l  
Exposure time: 96 h

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### 2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,100 mg/l  
Exposure time: 48 h  
Test Type: static test

NOEC : 20 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

Test Type: semi-static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l  
End point: Growth rate  
Exposure time: 72 h

### naphthalene:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Components:

##### difenoconazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d  
Remarks: Product is not persistent.

##### poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:

Biodegradability : Result: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### difenoconazole:

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

### 12.4 Mobility in soil

#### Components:

##### difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Percentage dissipation: 50 % (DT50: 149 - 187 d)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:

#### **difenoconazole:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

#### **2-methylpropan-1-ol:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

## 12.6 Other adverse effects

### Components:

#### **solvent naphtha (petroleum), heavy arom.:**

Additional ecological information : No data available

#### **difenoconazole:**

Additional ecological information : No data available

#### **calcium bis(dodecylbenzenesulphonate), branched:**

Additional ecological information : No data available

#### **poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl-omega-hydroxy-,(Z)-:**

Additional ecological information : No data available

#### **2-methylpropan-1-ol:**

Additional ecological information : No data available

#### **naphthalene:**

Additional ecological information : No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

cal or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(DIFENOCONAZOLE AND SOLVENT NAPHTHA)  
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(DIFENOCONAZOLE AND SOLVENT NAPHTHA)  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(DIFENOCONAZOLE AND SOLVENT NAPHTHA)  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(DIFENOCONAZOLE AND SOLVENT NAPHTHA)  
IATA : Environmentally hazardous substance, liquid, n.o.s.  
(DIFENOCONAZOLE AND SOLVENT NAPHTHA)

### 14.3 Transport hazard class(es)

ADN : 9  
ADR : 9  
RID : 9  
IMDG : 9  
IATA : 9

### 14.4 Packing group



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
11.0	03.01.2017	S186944490	

### ADN

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (E)

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Marine pollutant : yes

### IATA (Cargo)

Marine pollutant : yes

## 14.6 Special precautions for user

Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2,500 t	25,000 t

Other regulations : Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

### SECTION 16: Other information

#### Full text of H-Statements

H226	: Flammable liquid and vapour.
H228	: Flammable solid.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Flam. Sol.	: Flammable solids
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## SCORE 250 EC

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
11.0	03.01.2017	S186944490	sions.

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN