

Safety data sheet

Page: 1/16

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.09.2016

Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

1. Identification

Product identifier

CABRIO® DM EC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1

Acute Tox. 4 (Inhalation - vapour)

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

Aquatic Acute 1
 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:
 Danger

Hazard Statement:

H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.

Precautionary Statements (Prevention):

P261	Avoid breathing vapours.
P280	Wear protective gloves and eye/face protection.
P264	Wash with plenty of water and soap thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P361	Take off immediately all contaminated clothing.
P391	Collect spillage.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

BASF Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 26.09.2016
 Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

P501 Dispose of contents/container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: PYRACLOSTROBIN, DIMETHOMORPH, BENZYLALCOHOL, SOLVENT NAPHTHA

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

According to UN GHS criteria

dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Content (W/W): 6,9 %	Acute Tox. 5 (oral)
CAS Number: 110488-70-5	Aquatic Acute 2
EC-Number: 404-200-2	Aquatic Chronic 1
INDEX-Number: 613-102-00-0	H303, H401, H410

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.09.2016

Version: 1.0

Product: **CABRIO® DM EC**

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

Content (W/W): 3,8 %
 CAS Number: 175013-18-0
 INDEX-Number: 613-272-00-6

Acute Tox. 3 (Inhalation - mist)
 Skin Corr./Irrit. 2
 STOT SE 3 (irr. to respiratory syst.)
 Aquatic Acute 1
 Aquatic Chronic 1
 M-factor acute: 100
 M-factor chronic: 100
 H315, H331, H335, H400, H410

solvent naphtha

Content (W/W): < 50 %
 CAS Number: 64742-94-5
 REACH registration number: 01-2119451097-39

Asp. Tox. 1
 Aquatic Acute 2
 Aquatic Chronic 2
 H304, H401, H411

benzyl alcohol

Content (W/W): < 30 %
 CAS Number: 100-51-6
 EC-Number: 202-859-9
 INDEX-Number: 603-057-00-5

Flam. Liq. 4
 Acute Tox. 4 (oral)
 Acute Tox. 4 (Inhalation - mist)
 Acute Tox. 4 (dermal)
 Eye Dam./Irrit. 2A
 Aquatic Acute 3
 H227, H319, H312, H332, H302, H402

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 15 %
 CAS Number: 99734-09-5

Acute Tox. 5 (dermal)
 Aquatic Acute 3
 Aquatic Chronic 3
 H313, H402, H412

naphthalene

Content (W/W): < 1 %
 CAS Number: 91-20-3
 EC-Number: 202-049-5
 INDEX-Number: 601-052-00-2

Acute Tox. 4 (oral)
 Carc. 2
 Aquatic Acute 1
 Aquatic Chronic 1
 M-factor acute: 1
 M-factor chronic: 1
 H302, H351, H400, H410

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 26.09.2016
Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

carbon monoxide, Hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 48 Months

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 26.09.2016
Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	tawny
Odour:	aromatic
Odour threshold:	
	Not determined since harmful by inhalation.
pH value:	approx. 6 - 8 (1 %(m), 20 °C) (as an emulsion)
crystallization temperature:	< -20 °C
Boiling range:	approx. 244 - 292 °C Information applies to the solvent.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.09.2016

Version: 1.0

Product: **CABRIO® DM EC**

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

(DIN EN 22719; ISO 2719)

Flash point:	93 °C	
Evaporation rate:		
Flammability:	not applicable	
Lower explosion limit:	not highly flammable	(Directive 92/69/EEC, A.12)
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 435 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 0,003 kPa (20 °C)	
Density:	Information applies to the solvent. approx. 1,05 g/cm ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable	
	<i>Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine</i>	
	<i>Partitioning coefficient n-octanol/water (log Kow): 2,63 - 2,73</i> (20 °C)	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	7,6 mPa.s (40 °C, 100 1/s)	
Viscosity, kinematic:	7,3 mm ² /s (40 °C)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(UN Test O.2 (oxidizing liquids))

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after short-term inhalation. Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2.000 mg/kg

LC50 rat (by inhalation): approx. 3,45 mg/l 4 h

An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

The available information is not sufficient for the evaluation of specific target organ toxicity.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 26.09.2016
Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 0,23 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

EC50 (48 h) 0,19 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) 20,03 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Bioaccumulation potential:

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.09.2016

Version: 1.0

Product: **CABRIO® DM EC**

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHOMORPH, PYRACLOSTROBIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHOMORPH, PYRACLOSTROBIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHOMORPH, PYRACLOSTROBIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 26.09.2016
Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains SOLVENT NAPHTHA, DIMETHOMORPH,
PYRACLOSTROBIN)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: None known

Air transport

IATA/ICAO

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains SOLVENT NAPHTHA, DIMETHOMORPH,
PYRACLOSTROBIN)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT SE	Specific target organ toxicity — single exposure
Flam. Liq.	Flammable liquids
Eye Dam./Irrit.	Serious eye damage/eye irritation
Carc.	Carcinogenicity
H303	May be harmful if swallowed.
H401	Toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H315	Causes skin irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.
H227	Combustible liquid.
H319	Causes serious eye irritation.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.09.2016

Product: **CABRIO® DM EC**

Version: 1.0

(ID no. 30659721/SDS_CPA_IL/EN)

Date of print 30.05.2017

H302	Harmful if swallowed.
H402	Harmful to aquatic life.
H313	May be harmful in contact with skin.
H412	Harmful to aquatic life with long lasting effects.
H351	Suspected of causing cancer.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.