

SDS No.: 0528



# **Top Sidan Platinum**

### **SECTION 1. IDENTIFICATION**

Product Identifier Top Sidan Platinum

Other Means of Fertilizer

Identification

**Recommended Use** The user should seek the advice of the county agricultural representative or a professional

agricultural consultant.

Restrictions on Use None known.

Manufacturer NutriAg Limited, 39 Gail Grove, Toronto, Ontario, M9M 1M5

Emergency Phone No. Canutec, 613-996-6666, 24 hours

**SDS No.** 0528

**Date of Preparation** February 21, 2025

#### **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Eye irritation - Category 2; Reproductive toxicity - Category 1

#### **Label Elements**





Signal Word:

Danger

Hazard Statement(s):

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

Contains 17-18% of an ingredient with unknown acute toxicity (Dermal and Inhalation).

Contains 2-3% of an ingredient with unknown acute toxicity (Oral).

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P203 Obtain, read and follow all safety instructions before use.

P264 Wash hands and skin thoroughly after handling.

P280 Wear eye protection, face protection, protective clothing, protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

Product Identifier: Top Sidan Platinum - Ver. 1

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 01 of 07

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other Hazards

Hazard Not Otherwise Classified (HNOC).

SECTION 2	COMPOSITION/INF	ODMATION ON	INCREDIENTS
SECTION 3.	. CUMPUSH IUM/INF	URIVIA HUN UN	INGREDIENIS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Withheld as trade secret	Trade Secret	2-3	N/A	
Withheld as trade secret	Trade Secret	2-3	N/A	
Boric acid	10043-35-3	2-3	N/A	
Withheld as trade secret	Trade Secret	1-2	N/A	

### **SECTION 4. FIRST-AID MEASURES**

#### **First-aid Measures**

#### Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

#### **Skin Contact**

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation occurs, get medical advice or attention.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Ingestion

Rinse mouth with water. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Get medical advice or attention if you feel unwell or are concerned.

### Most Important Symptoms and Effects, Acute and Delayed

If in eyes: causes serious irritation. If inhaled: can irritate the nose and throat.

#### **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Eyes, respiratory system, skin.

#### **Special Instructions**

Provide general supportive measures and treat symptomatically.

### **Medical Conditions Aggravated by Exposure**

None known.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

## **Unsuitable Extinguishing Media**

Do not use water jet as an extinguisher, as this will spread the fire.

#### **Specific Hazards Arising from the Product**

By heating and fire, irritating vapours/gases may be formed.

#### **Special Protective Equipment and Precautions for Fire-fighters**

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed

Product Identifier: Top Sidan Platinum - Ver. 1 SDS No.: 0528

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 02 of 07

containers cool. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, Protective Equipment, and Emergency Procedures

Restrict access to area until completion of cleanup. Ensure cleanup is conducted by trained personnel only. Wear adequate personal protective equipment.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Other Information**

See Section 8 for personal protective equipment. For waste disposal, see section 13.

### **SECTION 7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Avoid repeated or prolonged skin contact. Do not get in eyes. Do not breathe in this product.

#### **Conditions for Safe Storage**

Store in an area that is: well-ventilated, separate from incompatible materials (see Section 10: Stability and Reactivity).

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Withheld as trade secret	Not established		Not established			
Withheld as trade secret	Not established		Not established			
Boric acid	2 mg/m3	6 mg/m3				

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. STEL = Short-term Exposure Limit. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

#### **Appropriate Engineering Controls**

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

#### **Individual Protection Measures**

#### **Eye/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

# **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

## **Respiratory Protection**

In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product Identifier: Top Sidan Platinum - Ver. 1 SDS No.: 0528

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 03 of 07

**Basic Physical and Chemical Properties** 

**Odour** Fruity

Odour Threshold Not available pH 8 - 9 (1% solution)

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Boiling point/Initial boiling point Not available
Boiling Range Not available
Flash Point Not available
Evaporation Rate Not available
Flammability (solid, gas) Not applicable

**Upper/Lower Flammability or** 

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not applicable
Vapour Density (air = 1) Not applicable

**Relative Density (water = 1)** 1.21 - 1.22 at 20 °C (68 °F)

**Solubility** Dispersible in water

Partition Coefficient, n- Not available

Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

## **SECTION 10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions of use.

# **Chemical Stability**

Normally stable.

#### **Possibility of Hazardous Reactions**

None expected under normal conditions of storage and use.

#### **Conditions to Avoid**

Incompatible materials.

### **Incompatible Materials**

Strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide), strong oxidizing agents (e.g. perchloric acid).

#### **Hazardous Decomposition Products**

Carbon monoxide and carbon dioxide.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Likely Routes of Exposure**

Skin contact; eye contact; ingestion.

#### **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Withheld as trade secret		2650 mg/kg (rat)	
Withheld as trade secret		8600 mg/kg (rat)	
Boric acid	> 2.03 mg/L (rat) (4-hour	2660 mg/kg (rat)	> 2000 mg/kg (rabbit)

Product Identifier: Top Sidan Platinum - Ver. 1

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 04 of 07

0528

SDS No.:

exposure)

### **Skin Corrosion/Irritation**

May cause skin irritation.

# Serious Eye Damage/Irritation

Causes eye irritation.

# STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

May cause irritation to the respiratory tract.

### **Skin Absorption**

No information was located.

### Ingestion

Ingestion may cause irritation and malaise.

### **Aspiration Hazard**

Not classified.

# STOT (Specific Target Organ Toxicity) - Repeated Exposure

Not Classified.

## Respiratory and/or Skin Sensitization

Not classified.

### Carcinogenicity

Not classified.

### **Reproductive Toxicity**

# **Development of Offspring**

Not classified.

# **Sexual Function and Fertility**

Not classified.

### Effects on or via Lactation

Not classified.

# **Germ Cell Mutagenicity**

Not classified.

### **Interactive Effects**

Not classified.

Product Identifier: Top Sidan Platinum - Ver. 1 SDS No.: 0528

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 05 of 07

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Not established.

# **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Withheld as trade secret	> 1000 mg/L (96- hour; fresh water)			
Withheld as trade secret	122 mg/L (96-hour)			
Boric acid	79 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)			

# **Persistence and Degradability**

Product Identifier: Top Sidan Platinum - Ver. 1 SDS No.: 0528

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 06 of 07

Not established.

**Bioaccumulative Potential** 

Not established.

Mobility in Soil

Not established.

**Other Adverse Effects** 

Not established.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Dispose in accordance with all applicable federal, provincial, and local regulations.

### **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

Other Information IMDG: Not regulated for transport.

# **SECTION 15. REGULATORY INFORMATION**

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

**USA** 

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

**Additional USA Regulatory Lists** 

WARNING: This product contains chemicals including lead which are known to the State of California to cause cancer and/or birth defects or other reproductive harm.

### **SECTION 16. OTHER INFORMATION**

SDS Prepared By
 Phone No.
 Date of Preparation
 Date of Last Revision
 NutriAg Limited
 416-636-1555
 February 21, 2025
 February 21, 2025

**Revision Indicators** Verion 1.0

**Disclaimer** The information contained herein is offered only as a guide to the handling of the specific

material and has been prepared in good faith by technically knowledgeable personnel. No warranty of any kind is given or implied and NutriAg Ltd. will not be liable for any damages, losses, injuries or consequential damage, which, may result from the use or reliance on any

0528

SDS No.:

information contained herein.

Product Identifier: Top Sidan Platinum - Ver. 1

Date of Preparation: February 21, 2025

Date of Last Revision: February 21, 2025 Page 07 of 07

